

APPENDIX A

Claim 1: A field-deployable solid phase microextraction kit comprising:

a casing having a lid section, and at least a plurality of hermetically sealed transport tubes located in said casing,

each transport tube for sealably and securely retaining a solid phase microextraction (SPME) fiber syringe assembly and preventing cross-contamination with another SPME fiber syringe assembly retained in another transport tube when carried together in said casing.

Claim 2: The kit of Claim 1,

wherein each of said transport tubes includes means for allowing sampling of an environment within said transport tubes to determine contamination of the retained SPME fiber syringe assembly.

Claim 3: The kit of Claim 1,

wherein each said fiber/syringe assembly includes a fiber protective cap.

Claim 4: The kit of Claim 3,

additionally including a fiber protective cap extraction tool.

Claim 5: The kit of Claim 1,

additionally include at least spare parts for said transport of tubes, at least one spare SPMH fiber/syringe assembly, protective gloves and an instruction manual.

Claim 6: The kit of Claim 1,

wherein said casing and said lid section are constructed so as to form an airtight interior.

Claim 7: The kit of Claim 1,

wherein said transport tubes are constructed of anodized aluminum.

Claim 8: The kit of Claim 1,

additionally including a tray containing a plurality of transport tubes removably positioned in said casing.

Claim 9: The kit of Claim 1,

wherein each of said transport tubes include a septum mounted in one end through which the interior of the transport tubes may be tested.

Claim 10: The kit of Claim 1,

wherein said transport tubes are composed of two interconnected sections constructed to be hermetically sealed, each of said two sections having openings therein constructed to secure the SPME fiber/syringe assembly therein.

Claim 11: A field-deployable solid phase microextraction kit comprising:

a casing having a lid section, and at least a plurality of hermetically sealed transport tubes located in said casing,

each transport tube for sealably and securely retaining a solid phase microextraction (SPME) fiber syringe assembly and preventing cross-contamination with another SPME fiber syringe assembly retained in another transport tube when carried together in said casing,

said transport tubes being composed of two interconnected sections constructed to be hermetically sealed, each of said two sections having openings therein constructed to secure the SPME fiber/syringe assembly therein, said two interconnected sections of said transport tubes being secured together by a twist/lock arrangement.

Claim 12: The kit of Claim 10,

additionally including at least one seal in said two interconnected sections.

Claim 13: A field-deployable solid phase microextraction kit comprising:

a casing having a lid section, and at least a plurality of hermetically sealed transport tubes located in said casing,

each transport tube for sealably and securely retaining a solid phase microextraction (SPME) fiber syringe assembly and preventing cross-contamination with another SPME fiber syringe assembly retained in another transport tube when carried together in said casing,

said transport tubes being composed of two interconnected sections constructed to be hermetically sealed, each of said two sections having openings therein constructed to secure the SPME fiber/syringe assembly therein, at least one seal in said two interconnected sections,

one of said two interconnected sections including an end section which extends into the other of said two interconnected sections, and wherein said seal comprises a pair of spaced O-ring mounted in its end section and constructed to contact an internal surface of said other said two interconnected sections.

Claim 14: The kit of Claim 1,

additionally including a tool for removing and inserting a protective cap on a fiber of said SPME fiber/syringe assembly.

Claim 15: A field-deployable solid phase microextraction kit comprising:

a casing having a lid section, and at least a plurality of hermetically sealed transport tubes located in said casing,

each transport tube for sealably and securely retaining a solid phase microextraction (SPME) fiber syringe assembly and preventing cross-contamination with another SPME fiber syringe assembly retained in another transport tube when carried together in said casing,

said tool comprises a housing having a spring mounted plunger therein, said plunger having an opening therein, and said housing having an opening constructed to align with said opening in said plunger, whereby a protective cap is retained in said openings in said housing and said plunger by movement of said plunger, is released from being retained in said housing and said plunger by movement of said plunger.

Claim 16: In an SPME kit, the improvement comprising:

at least one hermetically sealed transport tube for a SPME fiber/syringe assembly,

said transport tube having a configured interior corresponding to an exterior of the SPME fiber/syringe assembly, whereby said assembly is secured within said transport tube; and

said transport tube including a seal in one end through which an interior of said transport tube could be tested to determine contamination of the retained SPME fiber syringe assembly.

Claim 17: The improvement of Claim 16,

additionally including a protective cap for the fiber of said SPME fiber/syringe assembly.

Claim 18: The improvement of Claim 17,

additionally including a tool for removing said protective cap from said fiber and reinstalling said protective cap on said fiber.

Claim 19: The improvement of Claim 16,

wherein said at least one transport tube includes two interconnected sections, means for securing said two sections together, and a sealing arrangement located intermediate said two interconnected sections.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.